PROSTHETICS

ORTHOTICS

RAW MATERIALS

TOOLS & MACHINARIES

MOBILITY AIDS

GEL PRODUCTS

PROMOTIONAL PRODUCTS

SHRI SANJEEVANI
BIOMED SOLUTIONS
PRIVATE LIMITED

EQUIPPING CARE, ENSURING LIFE.

Product Catalogue 2025-26

Prosthetics | Orthotics | Rehabilitation Products



Improved Mobility

Better Independence

Enhanced Quality of Life

Rehabilitation Support

Product Information & Distribution Notice

Shri Sanjeevani Biomed Solutions Private Limited markets and supplies the products featured in this catalogue through its authorised supplier network. Product images, technical specifications and descriptions are provided for product identification and reference. Manufacturing, regulatory approvals, warranties and product performance remain subject to the respective manufacturer's documentation and applicable terms. Product specifications and availability may change without prior notice.

SHRI SANJEEVANI BIOMED SOLUTIONS PRIVATE LIMITED

Enquiry@shrisanjeevani.com | +91 8341293305 / 9700007557

PROSTHETIC



Lower Limb — Below Knee Kit



Single Axis



Double Axis



Carbon

Weight Limit: 110kg

Engineered for strength, precision, and adaptability, this Modular Below-Knee Prosthetic Kit includes all essential components required for custom lower-limb prosthesis assembly. Designed to support a wide range of patient needs and anatomical variances, each component is crafted from highgrade materials to ensure durability and biomechanical efficiency.

Kit Components:

- **Anatomical Foot Shell:** Natural skin-tone finish with realistic toe separation for aesthetic and shoe compatibility.
- **Pylon Tube:** Lightweight yet strong stainless steel shaft ensures reliable load-bearing and easy height adjustments.
- **Pyramid Adapter & Base Plates:** Secure, precision-machined interfaces for socket and foot connection, enabling optimal alignment.
- **Tube Clamp Adapter:** Allows angle and height adjustments between components with robust locking mechanism.
- **Bolt & Washer Set:** High-tensile fasteners to ensure secure assembly and vibration resistance.
- **Protective Mesh Sleeve:** Used for transportation or to provide additional protection during lamination or storage.

Applications:

Ideal for certified prosthetists designing transtibial (below-knee) prostheses for daily ambulation, rehabilitation, or lifestyle-specific adaptations. Compatible with standard 30mm modular systems.

Features:

- ISO-tested load capacity.
- Corrosion-resistant metal alloys.
- Modular design for customization and replacements.
- Suitable for left or right side use.

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Below Knee Kit — Lower Limb

BELOW KNEE /T.T ECONOMIC KIT



1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR PRONG ADAPTOR
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel | **Part Weight:** 510g | **Weight Limit:** 110kg

BELOW KNEE /T.T STANDARD KIT



1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR PRONG ADAPTOR
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel | **Part Weight:** 510g | **Weight Limit:** 110kg

BELOW KNEE /T.T HEAVY DUTY KIT



1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR PRONG ADAPTOR
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel | **Part Weight:** 510g | **Weight Limit:** 110kg

BELOW KNEE /T.T DRAPPING KIT



1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) DRAPPING ADAPTOR
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel | **Part Weight:** 510g | **Weight Limit:** 110kg

Lower Limb — Below Knee Kit



BELOW KNEE /T.T DRAPPING KIT

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) SERRATION ADAPTOR FEMAIL WITH SS BASE PLATE
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel
Part Weight: 510g | **Weight Limit:** 110kg



BELOW KNEE /T.T DRAPPING KIT HVD

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR HOLE ADAPTOR MALE WITH SS PLATE
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel
Part Weight: 510g | **Weight Limit:** 110kg



BELOW KNEE /T.T DRAPPING KIT HVD

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR HOLE ADAPTOR MALE WITH PLASTIC PLATE
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel
Part Weight: 510g | **Weight Limit:** 110kg



BELOW KNEE /T.T DRAPPING KIT ECO

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR HOLE ADAPTOR MALE WITH SS PLATE
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01 | **Material:** Stainless Steel
Part Weight: 510g | **Weight Limit:** 110kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Below Knee Kit — Lower Limb



BELOW KNEE /T.T DRAPPING KIT ECO

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR HOLE ADAPTOR MALE WITH PLASTIC PLATE
4) SHORT PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01	Material: Stainless Steel
Part Weight: 510g	Weight Limit: 110kg



BELOW KNEE /T.T CARBON KIT

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR PRONG ADAPTOR
4)SHORT CARBON PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01	Material: Stainless Steel
Part Weight: 450g	Weight Limit: 110kg



BELOW KNEE /T.T TITANIUM KIT

1) FOOT ADAPTOR
2) TUBE CLAMP ADAPTOR
3) FOUR PRONG ADAPTOR
4)SHORT CARBON PYLON WITH INTEGRATED ADAPTOR

Item Code: BNK01	Material: Stainless Steel
Part Weight: 350g	Weight Limit: 110kg



BELOW KNEE /AK/TF KIT SET

1) SINGLE AXIS KNEE JOINT
2) PYLON AK
3) FOOT ADAPTOR

Item Code: BNK01	Material: Stainless Steel
Part Weight: 1150g	Weight Limit: 110kg



ABOVE KNEE/T.F KIT STANDARD KNEE JOINT

1. 4bar-Polycentric Knee Joint
2. Foot Adaptor With Bolt
3. Three Prong Adaptor With Reciever
4. Long Pylon With Integrated Adaptor

Item Code: BNK01	**Material:** Stainless Steel
Part Weight: 1100g	**Weight Limit:** 110kg



ABOVE KNEE KIT /T.F KIT HEAVY DUTY

1. 4bar-Polycentric Knee Joint
2. Foot Adaptor With Bolt
3. Drapping Adaptor
4. Long Pylon With Integrated Adaptor

Item Code: BNK01	**Material:** Stainless Steel
Part Weight: 1100g	**Weight Limit:** 110kg



CARBON KIT /T.F KIT : STANDARD/HVD

1. 4bar-Polycentric Knee Joint
2. Foot Adaptor With Bolt
3. Drapping Adaptor
4. Long Carbon Pylon With Integrated Adaptor

Item Code: BNK01	**Material:** Stainless Steel
Part Weight: 1100g	**Weight Limit:** 110kg

Above Knee Kit | Lower Limb

This premium modular prosthetic kit is engineered for lower-limb amputees seeking comfort, stability, and high-performance mobility. Each component is crafted to integrate seamlessly, ensuring efficient assembly and long-term reliability.



Kit Components:

- **Anatomical Foot Shell:** Realistically contoured for natural aesthetics and compatibility with most cosmetic covers.
- **Pylon Tube (Aluminum Alloy):** Lightweight, durable, and corrosion-resistant for optimal support and alignment.
- **Pyramid Adapter:** Central connector offering precise angle adjustments during fitting.
- **Three-Pronged Base Connector:** Designed for secure attachment between the socket and pylon, offering multidirectional stability.
- **Torque Adapter:** Absorbs rotational stress for enhanced comfort during motion.
- **Adjustable Endoskeletal Connector:** High-grade component for easy vertical and angular adjustment.
- **Knee Joint (optional integration):** Sleek black finish with built-in flexion-resistance mechanism for smooth gait and maximum control.

Applications:

Ideal for daily walking, moderate activity levels, and custom prosthetic builds in clinical settings.



Mechanical | Pneumatic | Hyraulic

Material Highlights:

Aerospace-grade aluminum, high-density polymers, and stainless steel for durability and reduced weight.



Single Axis | Double Axis | Carbon

Weight Limit: 110kg

Lower Limb Components



SACH FOOT WOODEN KEEL

A reliable, time-tested prosthetic foot with a solid core and lifelike cosmetic shell, offering natural appearance and dependable everyday support.

Item Code. : CPSF-003 | **Foot Sizes:** 22cm to 28cm | **Weight Limit:** 100kg | **Composition:** Polyurethane & Sisham Wood | **Weight:** 410-600gm | **Colour:**



SACH FOOT PLASTIC KEEL

A reliable, time-tested prosthetic foot with a solid core and lifelike cosmetic shell, offering natural appearance and dependable everyday support.

Item Code. : CPSF-003 | **Foot Sizes:** 22cm to 28cm | **Weight Limit:** 100kg | **Composition:** Polyurethane & Nylon | **Weight:** 410-600gm | **Colour:**



JAIPUR FOOT

A durable, affordable prosthetic foot designed to mimic natural movement, allowing users to walk barefoot comfortably and adapt easily to uneven surfaces for everyday life.

Item Code. : CPJF-004 | **Foot Sizes:** 4 to 10 | **Weight Limit:** 100kg | **Composition:** Polyurethane & Sisham Wood | **Weight:** 410-600gm | **Colour:**



JAIPUR FOOT WITH BOLT

A strong, cost-effective prosthetic foot featuring a bolt attachment for secure fitting, offering natural movement, durability, and comfortable barefoot walking on uneven surfaces.

Item Code. : CPJFB-005 | **Foot Sizes:** 4 to 10 | **Weight Limit:** 100kg | **Composition:** Polyurethane & Sisham Wood | **Weight:** 410-600gm | **Colour:**



PU FOOT WITH VEINS

A prosthetic foot designed with visible vein detailing for a more natural appearance, while maintaining durability, comfort, and smooth movement for everyday use.

Item Code. : CPJFV-006 | **Foot Sizes:** 22cm to 28cm | **Weight Limit:** 100kg | **Composition:** Polyurethane & Sisham Wood | **Weight:** 410-600gm | **Colour:**

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com



JAIPUR FOOT WITH VEINS

A prosthetic foot designed with visible vein detailing for a more natural appearance, while maintaining durability, comfort, and smooth movement for everyday use.

Item Code. : CPJFV-006 | Foot Sizes: 22cm to 28cm | Weight Limit: 100kg | Composition: Polyurethane & Sisham Wood | Weight: 410-600gm | Colour:



SINGLE AXIS

A hinged prosthetic foot that allows up-and-down ankle motion, improving stability, balance, and confidence–especially on uneven surfaces and for new or low-activity users.

Item Code. : CPSAF-007 | Foot Sizes: 22cm to 28cm | Weight Limit: 100kg | Composition: Polyurethane & Stainless Steel | Weight: 410-600gm | Colour:



DOUBLE AXIS

A prosthetic foot with up-down and side-to-side motion, offering better balance, reduced knee strain, and a smoother, more natural gait on uneven surfaces.

Item Code. : CPDAF-008 | Foot Sizes: 22cm to 28cm | Weight Limit: 100kg | Composition: Polyurethane & Stainless Steel | Weight: 410-600gm | Colour:



CARBON FOOT LOW PROFILE

A lightweight, strong carbon-fiber prosthetic foot that stores and releases energy to provide a smoother, more natural walking stride.

Item Code. : CPCF-009 | Foot Sizes: 22cm to 28cm | Weight Limit: 100kg | Weight: 410-600gm | Colour: | Composition: Polyurethane & Stainless Steel

Lower Limb Components

SACH FOOT ADAPTER



Item no. : CPSFA-011
Material : SS, Ti
Load Weight : 110kg

LOCK TUBE ADAPTER



Item no. : CPLTA-012
Material : SS, Ti
Load Weight : 110kg

MALE FOUR ADAPTER



Item no. : CPMFA-013
Material : SS, Ti
Load Weight : 110kg

SQUARE SOCKET ADAPTER



Item no. : CPSSA-014
Material : SS, Ti
Load Weight : 110kg

ANGLE LOCKED ADAPTER



Item no. : CPALA-015
Material : SS, Ti
Load Weight : 110kg

SQUARE PYRAMID ADAPTOR



Item no. : CPSPA-016
Material : SS, Ti
Load Weight : 110kg

ADJUASTABLE ROTATION SQUARE PLATE



Item no. : CPARSP-017
Material : SS, Ti
Load Weight : 110kg

PYRAMID LOCKED TUBE ADAPTER



Item no. : CPPLTA-018
Material : SS, Ti
Load Weight : 110kg

INTEGRATE TUBE



Item no. : CPIT-019
Material : SS, Ti
Load Weight : 110kg

ADJUSTABLE SHORT TUBE ADAPTOR



Item no. : CPASTA-020
Material : SS, Ti
Load Weight : 110kg

DOUBLE MOUTH TUBE ADAPTOR



Item no. : CPDMTA-021
Material : SS, Ti
Load Weight : 110kg

ADJUSTABLE SHORT TUBE ADAPTOR



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

DOUBLE ADAPTER SLIDABLE



Item no. : 40 MM
Material : SS
Load Weight : 110kg

LOCK TUBE ADAPTER SLIDABLE



Item no. : 40 MM
Material : SS
Load Weight : 110kg

ADJUSTABLE HEIGHT OF TUBE ADAPTER



Item no. : 40 MM
Material : SS
Load Weight : 110kg

MALE THREE JAWS



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

FEMALE THREE JAWS



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

INTEGRATE FEMALE FOUR JAWS



Item no. : 40 MM
Material : SS
Load Weight : 110kg

Lower Limb Components

ROTATION MALE FOUR JAWS



Item no. : 40 MM
Material : SS
Load Weight : 110kg

CRUS CLIP PLATE



Item no. : 40 MM
Material : SS
Load Weight : 110kg

THERMOPLASTIC CAVITY PLATE



Item no. : 40 MM
Material : SS
Load Weight : 110kg

ROTATOR



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

ROUND ADJUSTABLE PLATE



Item no. : 40 MM
Material : SS
Load Weight : 110kg

FOUR AXIS KNEE JOINT



Item no. : 40 MM
Material : 40 MM
Load Weight : 110kg

WEIGHT ACTIVATED BRAKE KNEE JOINT



Item no. : 40 MM
Material : 40 MM
Load Weight : 110kg

SINGLE AXIS KNEE JOINT WITH ADJUSTABLE CONSTANT FRICTION



Item no. : 40 MM
Material : 40 MM
Load Weight : 110kg

SINGLE AXIS KNEE JOINT WITH MANUAL LOCK



Item no. : 40 MM
Material : 40 MM
Load Weight : 110kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

LOCKED FOUR AXIS KNEE JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

MECHANICAL KNEE JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

HD KNEE DISARTICULATION NO LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

KNEE JOINT FOR KNEE DISARTICULATION

NO LOCK



Item no. : 40 MM
Material : SS
Load Weight : 110kg

KNEE JOINT FOR KNEE DISARTICULATION

WITH LOCK



Item no. : 40 MM
Material : SS
Load Weight : 110kg

FOUR BAR PNEUMATIC KNEE JOINT



Item no. : 40 MM
Material : SS
Load Weight : 110kg

SINGLE AXIS KNEE JOINT WITH LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

FOUR BAR PNEUMATIC KNEE JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

FOUR AXIS HIP JOINT



Item no. : 40 MM
Material : SS
Load Weight : 110kg

Lower Limb Components

BK COSMETIC FOAM COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

AK COSMETIC FOAM COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

AK COSMETIC FOAM COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

UNIVERSAL SILICONE LINER



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

UNIVERSAL GEL COVER NO LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

LONGITUDINAL INELASTIC GEL COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

SEAL GEL COVER



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

SWEAT PROOF BREATHABLE GEL COVER



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

GEL SFX SLEEVE



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

COTTON COSMETIC SOCKS



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

GLASS FIBER COSMETIC SOCKS



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

STUMP SOCKS



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

AK SOCKS



Material : SS
Load Weight : 100kg

BK SOCKS



Item no. : 40 MM
Material : SS
Load Weight : 100kg

ELASTIC KNEE SUPPORT



Item no. : 40 MM
Material : SS
Load Weight : 100kg

CHINESE SOCKS



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

TES BELT



Material : SS, Ti
Load Weight : 100kg

FOOT FOAM BOX



Material : SS
Load Weight : 100kg

Lower Limb Components

BK COSMETIC FOAM COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

AK COSMETIC FOAM COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

AK COSMETIC FOAM COVER

Item no. : 40 MM
Material : SS
Load Weight : 100kg

UNIVERSAL SILICONE LINER

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

UNIVERSAL GEL COVER NO LOCK

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

LONGITUDINAL INELASTIC GEL COVER

Item no. : 40 MM
Material : SS
Load Weight : 100kg

SEAL GEL COVER

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

SWEAT PROOF BREATHABLE GEL COVER

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

GEL SFX SLEEVE

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

SHRI SANJEEVANI BIOMED SOLUTIONS PRIVATE LIMITED
EQUIPPING CARE, ENSURING LIFE.

Upper Limb — Mechanical Hand

Mechanical Hands: Offer basic prehension (e.g., cylindrical, pinch). Grip strength is usually sufficient for holding common objects but might be less than a hook for heavy tasks. Some allow for adjustable spring tension to vary the closing force.

Degrees of Freedom (DOF): Typically 1 DOF (open/close). More advanced mechanical hands might offer limited wrist rotation or simple thumb opposition.Mechanical Hands: Offer basic prehension (e.g., cylindrical, pinch). Grip strength is usually sufficient for holding common objects but might be less than a hook for heavy tasks. Some allow for adjustable spring tension to vary the closing force.



Weight: 450gm

Glove Colour:

Composition: (Skeletal Part) Aluminium Alloy & MS Metal Parts
(Gloves Part) Poly Vinyl Chloried Compositition
(Harness Part) Nylon


Hand


Wrist unit


O-Ring/Harness


Glove

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Mechanical Hand Kit

Upper Limb

Mechanical Hands: Offer basic prehension (e.g., cylindrical, pinch). Grip strength is usually sufficient for holding common objects but might be less than a hook for heavy tasks. Some allow for adjustable spring tension to vary the closing force.

Elbow / Forearm Shell: Enhance prosthetic aesthetics and functionality with this premium Elbow/Forearm Shell designed for upper-limb prosthetic applications. Crafted from durable, high-gloss polymer in a natural tan finish, the shell delivers a sleek and anatomical look while offering structural coverage for underlying elbow mechanisms.



Glove Colour:

Composition: (Skeletal Part) Aluminium Alloy & MS Metal Parts
(Gloves Part) Poly Vinyl Chloried Compositition
(Harness Part) Nylon



Hand



Forearm Shell



Wrist unit



Shoulder Support



Glove

Upper Limb Components

HAND



Item no. : 40 MM
Material : SS
Load Weight : 100kg

FOREARM SHELL



Item no. : 40 MM
Material : SS
Load Weight : 100kg

GLOVE



Item no. : 40 MM
Material : SS
Load Weight : 100kg

WRIST UNIT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

SHOULDER SUPPORT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

LONGITUDINAL INELASTIC GEL COVER



Item no. : 40 MM
Material : SS
Load Weight : 100kg

SEAL GEL COVER

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

SWEAT PROOF BREATHABLE GEL COVER

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

GEL SFX SLEEVE

Item no. : 40 MM
Material : SS, Ti
Load Weight : 100kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com



ORTHOTICS

Kits & Components



ALIMCO TYPE AFO KIT

An ankle-foot orthosis designed to support and stabilize the ankle and foot. It helps improve gait, prevent foot drop, and enhance balance and mobility during daily activities. Made for durability and comfort, it is suitable for long-term daily use.

Material : SS, Ti

ITEM CODE	SIZE
CEATK-01	Small
CEATK-02	Medium
CEATK-03	Large



ALIMCO TYPE KAFO KIT

A knee-ankle-foot orthosis designed to provide stability and proper alignment to the lower limb. It supports the knee, ankle, and foot to improve walking ability and posture. Commonly used for conditions causing weakness or paralysis, it enhances mobility and confidence in daily activities.

Material : SS, Ti

ITEM CODE	SIZE
CEATK-04	Small
CEATK-05	Medium
CEATK-06	Large



ALIMCO TYPE HKAFO KIT

A hip-knee-ankle-foot orthosis designed to support and align the entire lower limb. It provides stability to the hip, knee, ankle, and foot, helping users stand and walk with better control. Commonly prescribed for severe lower-limb weakness or paralysis, it improves posture, balance, and mobility in daily life.

Material : SS, Ti

ITEM CODE	SIZE
CEATK-07	Small
CEATK-08	Medium
CEATK-09	Large

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Components

ALIMCO TYPE FITTED KNEE JOINTS



ITEM CODE	SIZE
Cg2003	1
Cg2003	2
Cg2003	3

Material : SS
Load Weight : 100kg

PELVIC BAND



ITEM CODE	SIZE
CEB-01	Small
CEB-02	Medium
CEB-03	Large

Material : SS
Load Weight : 100kg

HEEL PIN FOR CONVENTIONAL CALLIPERS



ITEM CODE	SIZE
CEHPC-01	1st
CEHPC-02	2nd
CEHPC-03	3rd

Material : SS
Load Weight : 100kg

TUBAR BAND



ITEM CODE	SIZE
CEB-11	1
CEB-12	2
CEB-13	3
CEB-14	4
CEB-15	5

Material : SS, Ti
Load Weight : 100kg

CALF BAND



ITEM CODE	SIZE
CEB-06	Small
CEB-07	Medium
CEB-08	Large
CEB-09	XL
CEB-10	XXL

Material : SS, Ti
Load Weight : 100kg

KNEE JOINT BAR



ITEM CODE	SIZE
CEB-	Small
CEB-	Medium
CEB-	Large

Material : SS, Ti
Load Weight : 100kg


KNEE JOINT ALIMCO TYPE



ITEM CODE	SIZE
CEB-	Small
CEB-	Medium
CEB-	Large

Material : SS, Ti
Load Weight : 100kg

KNEE JOINT ALIMCO TYPE



Material : SS, Ti
Load Weight : 100kg

KNEE JOINT FLAT/FORGED



ITEM CODE	SIZE
CEB-	Small
CEB-	Medium
CEB-	Large
CEB-	XL
CEB-	XXL

Material : SS, Ti
Load Weight : 100kg

Components

REAR SWISS LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

ALL CNC SPRING LOCK WITH WIRE



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

ALUMINUM SWISS LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

STAINLESS STEEL SWISS LOCK




Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

STAINLESS STEEL RING LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

SS RATCHET LOCK KNEE JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

ADJUASTABLE ROTATION SQUARE PLATE



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

SS TWO AXIS ORTHO HIP JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

SS THREE AXIS ORTHO HIP JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Components

LOCKED FOUR AXIS KNEE JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

MECHANICAL KNEE JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

HD KNEE DISARTICULATION NO LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

KNEE JOINTS ALIMCO TYPE



Item no. : 40 MM
Material : SS
Load Weight : 110kg

KNEE JOINT FOR MI



Item no. : 40 MM
Material : SS
Load Weight : 110kg

FOUR BAR PNEUMATIC KNEE JOINT



Item no. : 40 MM
Material : SS
Load Weight : 110kg

SINGLE AXIS KNEE JOINT WITH LOCK



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

BAR FOR KNEE JOINT



Material : SS, Ti
Load Weight : 110kg

FOUR AXIS HIP JOINT



Material : SS
Load Weight : 110kg

Components

CALLIPER KNEE CAP



ITEM CODE	SIZES
CEKC-01	XS
CEKC-02	S
CEKC-03	M
CEKC-04	L
CEKC-05	XL
CEKC-06	XXL

CALLIPER KNEE CAP



ITEM CODE	SIZES
CEKC-01	XS
CEKC-02	S
CEKC-03	M
CEKC-04	L
CEKC-05	XL
CEKC-06	XXL

CALLIPER KNEE CAP



ITEM CODE	SIZES
CEKC-01	XS
CEKC-02	S
CEKC-03	M
CEKC-04	L
CEKC-05	XL
CEKC-06	XXL

TEMRIC JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

ROM JOINT



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

DB SPLINT PLATE



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

HIP ABDUCTION BAR



Item no. : 40 MM
Material : SS, Ti
Load Weight : 110kg

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Pre-Fabricated Lower

The **CFU** AFO offers excellent support in the case of loss of ability to lift the foot and problems in controlling the foot when walking. The innovative design allows for a natural gait and makes safe and efficient walking possible again.

The CFU ortho Ankle Foot Orthosis lifts the foot during the swing phase, controls the plantar flexion after heel strike and then allows unimpeded rolling of the foot. In addition, the orthosis offers lateral stability to the ankle joint.

The elastic straps of the CFU AFO are adjustable. This allows the degree of dynamic foot lift during the swing phase to be determined according to the individual needs of the user. On heel strike, the restraining function of the elastic straps ensures a well-controlled plantar flexion. During stance phase, the CFU AFO allows flexion and extension in the ankle joint and allows the (remaining) function of the calf muscles to be addressed during the rolling of the foot. The result is an efficient and natural gait.

Where normally the shoe allows for fixation of the orthosis around the foot, the CFU AFO has its own fixing strap system. This innovative construction allows the CFU AFO to be used with light footwear such as indoors in slippers.



SOFT SHELL
Provides comfort and good distribution of pressure.

FLEXIBLE SOLE
Enables rolling of the forefoot.

DETAILS
Descrition

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Pre-Fabricated | Lower



AFO FIXED ANKLE

An AFO is a short name for ankle foot orthosis. The fixed ankle afo is used as a caliper(Foot drop splint) or part of caliper (KAFO, HKAFO) for flail ankle in order to keep the foot in neutral position. We can provide the the trim lines as per your need.





PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS			SHOE SIZE (UK)
				F.L	C.L	C.C	
CEAF-00	00'	PIECE	CO-PP 3MM	4.5"	6.5"	7.5"	5
CEAF-0	0	PIECE	CO-PP 3MM	5.5"	7.5"	8"	5.5
CEAF-1	1	PIECE	CO-PP 3MM	6"	8"	8.5"	6
CEAF-2	2	PIECE	CO-PP 4MM	6.5"	8.75"	9.5"	6.5
CEAF-3	3	PIECE	CO-PP 4MM	7"	9.5"	9.75"	7
CEAF-4	4	PIECE	CO-PP 4MM	7.5"	10.5"	10.12"	7.5
CEAF-5	5	PIECE	CO-PP 5MM	8"	11.25"	11"	8
CEAF-6	6	PIECE	CO-PP 5MM	8.5"	12"	13"	8.5
CEAF-7	7	PIECE	CO-PP 5MM	9"	12.75"	14"	9
CEAF-8	8	PIECE	CO-PP 5MM	9.5"	13.5"	14.2"	9.5
CEAF-9	9	PIECE	CO-PP 5MM	10"	14.25"	15"	10
CEAF-10	10	PIECE	CO-PP 5MM	10.5"	15"	15.75"	10.5
CEAF-11	11	PIECE	CO-PP 5MM	11"	16"	16.5"	11
CEAF-12	12	PIECE	CO-PP 5MM	11.5"	17"	17.5"	12

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Lower

Pre-Fabricated



AFO FIXED ANKLE

An AFO is a short name for ankle foot orthosis. The fixed ankle afo is used as a caliper(Foot drop splint) or part of caliper (KAFO, HKAFO) for flail ankle in order to keep the foot in neutral position. We can provide the the trim lines as per your need.





PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS			SHOE SIZE (UK)
				F.L	C.L	C.C	
CEAF-00	00'	PIECE	CO-PP 3MM	4.5"	6.5"	7.5"	5
CEAF-0	0	PIECE	CO-PP 3MM	5.5"	7.5"	8"	5.5
CEAF-1	1	PIECE	CO-PP 3MM	6"	8"	8.5"	6
CEAF-2	2	PIECE	CO-PP 4MM	6.5"	8.75"	9.5"	6.5
CEAF-3	3	PIECE	CO-PP 4MM	7"	9.5"	9.75"	7
CEAF-4	4	PIECE	CO-PP 4MM	7.5"	10.5"	10.12"	7.5
CEAF-5	5	PIECE	CO-PP 5MM	8"	11.25"	11"	8
CEAF-6	6	PIECE	CO-PP 5MM	8.5"	12"	13"	8.5
CEAF-7	7	PIECE	CO-PP 5MM	9"	12.75"	14"	9
CEAF-8	8	PIECE	CO-PP 5MM	9.5"	13.5"	14.2"	9.5
CEAF-9	9	PIECE	CO-PP 5MM	10"	14.25"	15"	10
CEAF-10	10	PIECE	CO-PP 5MM	10.5"	15"	15.75"	10.5
CEAF-11	11	PIECE	CO-PP 5MM	11"	16"	16.5"	11
CEAF-12	12	PIECE	CO-PP 5MM	11.5"	17"	17.5"	12

Pre-Fabricated | Lower



AFO ARTICULATED

An AFO is a short name for ankle foot orthosis. The articulated ankle afo is used as a caliper(Foot drop splint) or part of caliper(KAFO, HKAFO) for a ankle with some power of dorsiflexion in order to keep the foot in neutral position and avoiding planter flexion. We can give metal ankle button instead of nylon 66 also we can provide the the trim lines as per your need. Available in RT and LT side. Any other size required can be made on request.





PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS			SHOE SIZE (UK)
				F.L	C.L	C.C	
CEAA-00	00'	PIECE	HDPE-3MM	4.5"	6.5"	7.5"	5
CEAA-0	0	PIECE	HDPE-3MM	5.5"	7.5"	8"	5.5
CEAA-1	1	PIECE	HDPE-3MM	6"	8"	8.5"	6
CEAA-2	2	PIECE	HDPE-3MM	6.5"	8.75"	9.5"	6.5
CEAA-3	3	PIECE	HDPE-3MM	7"	9.5"	9.75"	7
CEAA-4	4	PIECE	HDPE-4MM	7.5"	10.5"	10.12"	7.5
CEAA-5	5	PIECE	HDPE-4MM	8"	11.25"	11"	8
CEAA-6	6	PIECE	HDPE-4MM	8.5"	12"	13"	8.5
CEAA-7	7	PIECE	HDPE-5MM	9"	12.75"	14"	9
CEAA-8	8	PIECE	HDPE-5MM	9.5"	13.5"	14.2"	9.5
CEAA-9	9	PIECE	HDPE-5MM	10"	14.25"	15"	10
CEAA-10	10	PIECE	HDPE-5MM	10.5"	15"	15.75"	10.5
CEAA-11	11	PIECE	HDPE-5MM	11"	16"	16.5"	11
CEAA-12	12	PIECE	HDPE-5MM	11.5"	17"	17.5"	12

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Lower | Pre-Fabricated



AFO ARTICULATED

An AFO is a short name for ankle foot orthosis. The articulated ankle afo is used as a caliper(Foot drop splint) or part of caliper(KAFO, HKAFO) for a ankle with some power of dorsiflexion in order to keep the foot in neutral position and avoiding planter flexion. We can give metal ankle button instead of nylon 66 also we can provide the the trim lines as per your need. Available in RT and LT side. Any other size required can be made on request.





PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS			SHOE SIZE (UK)
				F.L	C.L	C.C	
CEAA-00	00'	PIECE	HDPE-3MM	4.5"	6.5"	7.5"	5
CEAA-0	0	PIECE	HDPE-3MM	5.5"	7.5"	8"	5.5
CEAA-1	1	PIECE	HDPE-3MM	6"	8"	8.5"	6
CEAA-2	2	PIECE	HDPE-3MM	6.5"	8.75"	9.5"	6.5
CEAA-3	3	PIECE	HDPE-3MM	7"	9.5"	9.75"	7
CEAA-4	4	PIECE	HDPE-4MM	7.5"	10.5"	10.12"	7.5
CEAA-5	5	PIECE	HDPE-4MM	8"	11.25"	11"	8
CEAA-6	6	PIECE	HDPE-4MM	8.5"	12"	13"	8.5
CEAA-7	7	PIECE	HDPE-5MM	9"	12.75"	14"	9
CEAA-8	8	PIECE	HDPE-5MM	9.5"	13.5"	14.2"	9.5
CEAA-9	9	PIECE	HDPE-5MM	10"	14.25"	15"	10
CEAA-10	10	PIECE	HDPE-5MM	10.5"	15"	15.75"	10.5
CEAA-11	11	PIECE	HDPE-5MM	11"	16"	16.5"	11
CEAA-12	12	PIECE	HDPE-5MM	11.5"	17"	17.5"	12

Pre-Fabricated | Lower



AFO FIX WITHCOMPLETE PADDING

Here with complete padding we delivers the products with pasted lining and all the straps and buckles fitted. However we recommend to buy loose padding instead as some time you may need to do some heat treatment in order to do some adjustments, so you have to remove the pasting in this case and do the rectification specifically. We usually provide 38mm straps at calf and 25mm at ankle and MT level with buckles accordingly to strap size. You may request for your special needs like color of padding, strap sizes and its positioning.



PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS			SHOE SIZE (UK)
				F.L	C.L	C.C	
CEAFCP-00	00'	PIECE	CO-PP 3MM	4.5"	6.5"	7.5"	5
CEAFCP-0	0	PIECE	CO-PP 3MM	5.5"	7.5"	8"	5.5
CEAFCP-1	1	PIECE	CO-PP 3MM	6"	8"	8.5"	6
CEAFCP-2	2	PIECE	CO-PP 4MM	6.5"	8.75"	9.5"	6.5
CEAFCP-3	3	PIECE	CO-PP 4MM	7"	9.5"	9.75"	7
CEAFCP-4	4	PIECE	CO-PP 4MM	7.5"	10.5"	10.12"	7.5
CEAFCP-5	5	PIECE	CO-PP 5MM	8"	11.25"	11"	8
CEAFCP-6	6	PIECE	CO-PP 5MM	8.5"	12"	13"	8.5
CEAFCP-7	7	PIECE	CO-PP 5MM	9"	12.75"	14"	9
CEAFCP-8	8	PIECE	CO-PP 5MM	9.5"	13.5"	14.2"	9.5
CEAFCP-9	9	PIECE	CO-PP 5MM	10"	14.25"	15"	10
CEAFCP-10	10	PIECE	CO-PP 5MM	10.5"	15"	15.75"	10.5
CEAFCP-11	11	PIECE	CO-PP 5MM	11"	16"	16.5"	11
CEAFCP-12	12	PIECE	CO-PP 5MM	11.5"	17"	17.5"	12

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Lower | **Pre-Fabricated**



AFO ARTICULATED WITH COMPLETE PADDING

Here with complete padding we delivers the products with pasted lining and all the straps and buckles fitted. However we recommend to buy loose padding instead as some time you may need to do some heat treatment in order to do some adjustments, so you have to remove the pasting in this case and do the rectification specifically. We usually provide 38mm straps at calf and 25mm at ankle and MT level with buckles accordingly to strap size. You may request for your special needs like color of padding, strap sizes and its positioning.





PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS			SHOE SIZE (UK)
				F.L	C.L	C.C	
CEAACP-00	00'	PIECE	HDPE-3MM	4.5"	6.5"	7.5"	5
CEAACP-0	0	PIECE	HDPE-3MM	5.5"	7.5"	8"	5.5
CEAACP-01	1	PIECE	HDPE-3MM	6"	8"	8.5"	6
CEAACP-02	2	PIECE	HDPE-3MM	6.5"	8.75"	9.5"	6.5
CEAACP-03	3	PIECE	HDPE-3MM	7"	9.5"	9.75"	7
CEAACP-04	4	PIECE	HDPE-4MM	7.5"	10.5"	10.12"	7.5
CEAACP-05	5	PIECE	HDPE-4MM	8"	11.25"	11"	8
CEAACP-06	6	PIECE	HDPE-4MM	8.5"	12"	13"	8.5
CEAACP-07	7	PIECE	HDPE-5MM	9"	12.75"	14"	9
CEAACP-08	8	PIECE	HDPE-5MM	9.5"	13.5"	14.2"	9.5
CEAACP-09	9	PIECE	HDPE-5MM	10"	14.25"	15"	10
CEAACP-10	10	PIECE	HDPE-5MM	10.5"	15"	15.75"	10.5
CEAACP-11	11	PIECE	HDPE-5MM	11"	16"	16.5"	11
CEAACP-12	12	PIECE	HDPE-5MM	11.5"	17"	17.5"	12

Pre-Fabricated | Lower



AFO FIX WITHCOMPLETE PADDING

Our Thigh Shells are made out of high quality HDPE sheet in various sizes from 8 inch to 24 inch of circumference at Ischium level of the user. The trim line are well contoured and flared out for a comfort fit and to avoid any pinching. They are available in RT and LT side. Any other sizes apart from these sizes can also be made on our customers request.



PRODUCT CODE	SIZE	UNIT	MATERIAL USED	DIMENSIONS		
				C.I	C.D	L.D
CETS-08	8	PIECE	HDPE-3MM	8"	7.2"	7"
CETS-09	9	PIECE	HDPE-3MM	9"	8"	6"
CETS-10	10	PIECE	HDPE-3MM	10"	9"	7"
CETS-11	11	PIECE	HDPE-3MM	11"	10.2"	9"
CETS-12	12	PIECE	HDPE-4MM	13"	11"	9"
CETS-13	13	PIECE	HDPE-4MM	13"	12"	8.2"
CETS-14	14	PIECE	HDPE-4MM	14"	12"	9"
CETS-15	15	PIECE	HDPE-4MM	15"	13.2"	9.2"
CETS-16	16	PIECE	HDPE-5MM	16.2"	15"	10.2"
CETS-17	17	PIECE	HDPE-5MM	17"	15.2"	10.2"
CETS-18	18	PIECE	HDPE-5MM	18"	16"	10.2"
CETS-19	19	PIECE	HDPE-5MM	19"	16.2"	10.2"
CETS-20	20	PIECE	HDPE-5MM	20"	17"	11.2"
CETS-21	21	PIECE	HDPE-5MM	21"	18"	12"
CETS-22	22	PIECE	HDPE-5MM	22.2"	18.2"	12"
CETS-23	23	PIECE	HDPE-5MM	23"	19"	12"
CETS-24	24	PIECE	HDPE-5MM	24"	20"	12.2"

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Lower | **Pre-Fabricated**



THIGH SOFT LINING

The Thigh soft lining(padding) are made out of very good grade of eva material and are moulded as per the shape of Thigh for a particular size. This allows the pasting of lining to Thigh in easy way and saves work time.



PRODUCT CODE	SIZE	UNIT	MATERIAL USED
CETSL-08	8	PIECE	ETHAFLEX SKIN - 3MM
CETSL-09	9	PIECE	ETHAFLEX SKIN - 3MM
CETSL-10	10	PIECE	ETHAFLEX SKIN - 3MM
CETSL-11	11	PIECE	ETHAFLEX SKIN - 3MM
CETSL-12	12	PIECE	ETHAFLEX SKIN - 3MM
CETSL-13	13	PIECE	ETHAFLEX SKIN - 4MM
CETSL-14	14	PIECE	ETHAFLEX SKIN - 4MM
CETSL-15	15	PIECE	ETHAFLEX SKIN - 4MM
CETSL-16	16	PIECE	ETHAFLEX SKIN - 4MM
CETSL-17	17	PIECE	ETHAFLEX SKIN - 4MM
CETSL-18	18	PIECE	ETHAFLEX SKIN - 4MM
CETSL-19	19	PIECE	ETHAFLEX SKIN - 4MM
CETSL-20	20	PIECE	ETHAFLEX SKIN - 4MM
CETSL-21	21	PIECE	ETHAFLEX SKIN - 5MM
CETSL-22	22	PIECE	ETHAFLEX SKIN - 5MM
CETSL-23	23	PIECE	ETHAFLEX SKIN - 5MM
CETSL-24	24	PIECE	ETHAFLEX SKIN - 5MM
CETSL-25	25	PIECE	ETHAFLEX SKIN - 5MM
CETSL-26	26	PIECE	ETHAFLEX SKIN - 5MM

AFO SOFT LINING

The AFO soft lining(padding) are made out of very good grade of eva material and are moulded as per the shape of AFO for a particular size. This allows the pasting of lining to AFO in a easy way and saves the work time.

PRODUCT CODE	SIZE	UNIT	MATERIAL USED
CEASL-00	00'	PIECE	ETHAFLEX SKIN - 3MM
CEASL-0	0	PIECE	ETHAFLEX SKIN - 3MM
CEASL-1	1	PIECE	ETHAFLEX SKIN - 3MM
CEASL-2	2	PIECE	ETHAFLEX SKIN - 3MM
CEASL-3	3	PIECE	EHAFLEX SKIN - 4MM
CEASL-4	4	PIECE	EHAFLEX SKIN - 4MM
CEASL-5	5	PIECE	EHAFLEX SKIN - 4MM
CEASL-6	6	PIECE	EHAFLEX SKIN - 4MM
CEASL-7	7	PIECE	EHAFLEX SKIN - 4MM
CEASL-8	8	PIECE	EHAFLEX SKIN - 4MM
CEASL-9	9	PIECE	EHAFLEX SKIN - 4MM
CEASL-10	10	PIECE	ETHAFLEX SKIN-5MM
CEASL-11	11	PIECE	ETHAFLEX SKIN-5MM
CEASL-12	12	PIECE	ETHAFLEX SKIN-5MM



Pre-Fabricated | Lower

DOUBLE WALLED AFO

Double Walled AFO is a rigid ankle-foot orthosis designed to provide maximum ankle stability and proper foot alignment.It helps improve gait control by supporting weak muscles and preventing unwanted foot drop or ankle rolling.

ITEM CODE	SIZE	FOOT LENGTH	CALF LENGTH
01	Small	4.5"	6.5"
	Medium	5"	7"
	Large	5.5"	7.5"
	XL	6"	8"
	XXL	6.5"	8.5"



THREE PART AFO

Three Part AFO is a modular ankle-foot orthosis designed for better foot positioning, stability, and controlled movement. Its three-piece construction provides customized support, improved comfort, and easier fitting for different patient needs

ITEM CODE	SIZE	FOOT LENGTH	CALF LENGTH
01	Small	4.5"	6.5"
	Medium	5"	7"
	Large	5.5"	7.5"
	XL	6"	8"
	XXL	6.5"	8.5"



SMO PRO

SMO PRO is a lightweight, custom-moulded orthotic footwear designed to support and correct foot alignment in children.It helps improve stability, posture, and walking pattern with comfortable straps and a secure fit.

ITEM CODE	SIZE	FOOT LENGTH
01	Small	9cm to 13cm
	Medium	14cm to 18cm
	Large	19cm to 23cm
	XL	24cm to 27cm



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

DOUBLE WALLED AFO SMO TYPE

Double Walled AFO (SMO Type) is designed to provide strong ankle stability along with controlled foot positioning and alignment.It improves balance and walking pattern by supporting weak muscles and reducing inward or outward foot turning.



ITEM CODE	SIZE	FOOT LENGTH	CALF LENGTH
01	Small	4.5"	6.5"
	Medium	5"	7"
	Large	5.5"	7.5"
	XL	6"	8"
	XXL	6.5"	8.5"

PTB BRACE FIXED

Three Part AFO is a modular ankle-foot orthosis designed for better foot positioning, stability, and controlled movement. Its three-piece construction provides customized support, improved comfort, and easier fitting for different patient needs.



ITEM CODE	SIZE	FOOT LENGTH	UPPER CIRCLE	HIEGHT
01	Small	23cm	35cm	48cm
	Medium	25cm	37cm	55cm
	Large	27cm	41cm	58cm
	XL	28cm	45.5cm	65cm
	XXL	30cm	48cm	68cm

PTB BRACE ARTICULATED

PTB Brace (Articulated) is designed to offload pressure from the lower leg while allowing controlled knee/ankle movement through joints.It improves comfort and walking mobility by providing support with better flexibility during rehabilitation.



ITEM CODE	SIZE	FOOT LENGTH	UPPER CIRCLE	HIEGHT
01	Small	23cm	35cm	48cm
	Medium	25cm	37cm	55cm
	Large	27cm	41cm	58cm
	XL	28cm	45.5cm	65cm
	XXL	30cm	48cm	68cm

CTEV SPLINT

CTEV Splint is an orthotic device used to support and correct clubfoot (CTEV) by maintaining proper foot alignment.

ITEM CODE	SIZE	FOOT LENGTH	HEIGHT
01	0.0	5.5cm	6.5cm
	0	6.5cm	7cm
	1	8cm	8.5cm
	2	9cm	9.5cm
	3	10cm	11cm
	4	10.5cm	11.5cm
	5	12.5cm	13cm
	6	14cm	15cm
	7	15.5cm	17cm



DB SPLINT

DB Splint is a supportive orthotic device used to maintain proper foot and ankle position, especially in deformity correction.

ITEM CODE	SIZE	FOOT LENGTH	HEIGHT
01	0.0	5.5cm	6.5cm
	0	6.5cm	7cm
	1	8cm	8.5cm
	2	9cm	9.5cm
	3	10cm	11cm
	4	10.5cm	11.5cm
	5	12.5cm	13cm
	6	14cm	15cm
	7	15.5cm	17cm



FOOT DROP SPLINT (WITH PADDING)

Foot Drop Splint (With Padding) is designed to support the foot in a neutral position, preventing toe drag and improving walking stability.The added soft padding provides extra comfort and reduces pressure, making it ideal for long hours of wear.

ITEM CODE	SIZE
01	Small
	Medium
	Large



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

FOOT DROP SPLINT (WITHOUT PADDING)

Foot Drop Splint (Without Padding) is a lightweight orthotic that holds the foot in a proper position to prevent toe dragging while walking.It improves gait control and stability with a simple, easy-to-wear design.

ITEM CODE	SIZE
01	Small
	Medium
	Large



FOOT DROP SPLINT TRANSPARENT TYPE

Foot Drop Splint (Transparent Type) is a clear, lightweight orthotic that supports the foot in proper alignment to prevent toe dragging.Its transparent design offers a neat appearance while improving walking stability and reducing the risk of tripping.

ITEM CODE	SIZE
01	Small
	Medium
	Large



FOOT DROP SPLINT CUSTOMISED

Customised Foot Drop Splint is a tailor-made orthotic designed to hold the foot in a neutral position for smoother walking.It improves comfort and gait control by providing a precise fit based on the user's foot shape and need.

ITEM CODE	SIZE
01	Small
	Medium
	Large



LEG SPLINT

Leg Splint is an orthotic support designed to immobilize and stabilize the leg after injury or surgery. It helps maintain proper alignment and reduce pain during healing. Ideal for rehabilitation and controlled recovery.



ITEM CODE	SIZE	FOOT LENGHT	UPPER CIR FERENCE	ANKLE CIR FERENCE	CALF LENGHT
01	XS	14.5cm	30cm	22cm	38cm
	S	17.5cm	34cm	23cm	45cm
	M	18cm	35cm	25cm	51cm
	L	18.5cm	38cm	26cm	55cm
	XL	20.5cm	39cm	28cm	57cm
	XXL	22cm	41cm	30cm	62cm

KNEE GAITOR

Knee Gaitor is an orthotic support designed to stabilize the knee and improve walking alignment. It helps control unwanted knee movement while providing comfortable support. Ideal for rehabilitation and daily mobility assistance.



ITEM CODE	SIZE	FULL HEIGHT	THIGH CIR FERENCE	ABOVE PATELLE CIR FERENCE	LOWER PATELLE CIR FERENCE	MID CALF CIR FERENCE
01	S	40cm	30cm	27cm	24cm	19cm
	M	45cm	32cm	28cm	26cm	21cm
	L	49cm	35cm	30cm	28cm	22cm
	XL	54cm	37cm	32cm	30cm	24cm

FABRIC KNEE GAITOR

Fabric Knee Gaitor is a soft knee support designed to provide comfort and gentle stabilization. It helps improve knee alignment while allowing flexible movement. Ideal for daily use, mild support, and rehabilitation.



ITEM CODE	SIZE	FULL HEIGHT	THIGH CIR FERENCE	ABOVE PATELLE CIR FERENCE	LOWER PATELLE CIR FERENCE	MID CALF CIR FERENCE
01	S	40cm	30cm	27cm	24cm	19cm
	M	45cm	32cm	28cm	26cm	21cm
	L	49cm	35cm	30cm	28cm	22cm
	XL	54cm	37cm	32cm	30cm	24cm

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

SWASH BRACE

SWASH Brace is a hip abduction orthosis designed to improve posture and walking stability. It helps control excessive hip movement while promoting better alignment. Commonly used in children with cerebral palsy for safer mobility.



ITEM CODE	SIZE
01	Extra Small
	Small
	Medium
	Large
	XL
	XXL

CONGENITAL HIP DISLOCATION SPLINT

Congenital Hip Dislocation Splint is an orthotic device used to treat developmental hip dislocation in infants. It holds the hips in proper alignment to support healthy joint development. Helps prevent further displacement while allowing gentle, natural movement.



ITEM CODE	SIZE
01	Small
	Medium
	Large

FOOT DROP SPLINT CUSTOMISED

Customised Foot Drop Splint is a tailor-made orthotic designed to hold the foot in a neutral position for smoother walking.It improves comfort and gait control by providing a precise fit based on the user's foot shape and need.

ITEM CODE	SIZE
01	Small
	Medium
	Large

COCK-UP (SHORT)

Cock-Up Splint (Short) is a wrist support designed to keep the wrist in a neutral position and reduce pain.It is commonly used for sprains, weakness, and conditions like carpal tunnel to improve comfort and stability.

ITEM CODE	SIZE
01	Small
	Medium
	Large



COCK-UP (DYNAMIC)

Cock-Up Splint (Dynamic) supports the wrist while allowing controlled movement for better hand function during recovery.It helps maintain alignment, reduces strain, and improves mobility in cases of weakness or nerve injury.

ITEM CODE	SIZE
01	Small
	Medium
	Large



COCK-UP (New)

Cock-Up Splint provides firm wrist support in a functional position to reduce pain and improve stability.It helps prevent wrist drop and supports recovery in cases of sprain, weakness, or nerve injury.

ITEM CODE	SIZE
01	Small
	Medium
	Large



COCK-UP (DYNAMIC) WITH TURN BUCKLE

Cock-Up (Dynamic) with Turn Buckle provides adjustable wrist support while allowing controlled hand and finger movement. The turn buckle mechanism enables precise tension adjustment for better correction, comfort, and rehabilitation.

ITEM CODE	SIZE
01	Small
	Medium
	Large



ELBOW BRACE WITH TURN BUCKLE

An adjustable elbow brace with a turn-buckle mechanism that allows precise control of flexion and extension.Provides firm stabilization, controlled movement, and customized support during rehabilitation.

ITEM CODE	SIZE	TOP CIR FERENCE	ABOVE CIR FERENCE	BELOW CIR FERENCE	BEFORE WRIST CIR FERENCE
01	S	24cm	23cm	21.5cm	19cm
	M	29cm	27cm	25cm	19cm
	L	32cm	29cm	29cm	20cm



ELBOW BRACE WITH TURN BUCKLE(Printed)

An adjustable elbow brace with a precision turn buckle for controlled alignment and gradual correction. Printed design with a lightweight, durable structure ensures comfort, stability, and secure support during use.

ITEM CODE	SIZE	TOP CIR FERENCE	ABOVE CIR FERENCE	BELOW CIR FERENCE	BEFORE WRIST CIR FERENCE
01	S	24cm	23cm	21.5cm	19cm
	M	29cm	27cm	25cm	19cm
	L	32cm	29cm	29cm	20cm



Pre-Fabricated Upper

FOREARM BRACE

A supportive forearm brace designed to stabilize the wrist and forearm while allowing functional hand movement. Lightweight, durable, and adjustable for comfortable daily wear and effective support.

ITEM CODE	SIZE	PALM CIR FERENCE	FULL HEIGHT	BELOW CIR FERENCE	WRIST CIR FERENCE
01	S	18cm	23cm	22cm	15.5cm
	M	22cm	27cm	26cm	17cm
	L	23cm	29cm	27cm	19cm



FOREARM BRACE PRINTED

A forearm brace designed to stabilize the wrist and forearm with a lightweight printed structure.The printed design offers durability, comfort, and secure support for daily use and rehabilitation.

ITEM CODE	SIZE	PALM CIR FERENCE	FULL HEIGHT	BELOW CIR FERENCE	WRIST CIR FERENCE
01	S	18cm	23cm	22cm	15.5cm
	M	22cm	27cm	26cm	17cm
	L	23cm	29cm	27cm	19cm



HUMERUS BRACE

Humerus Brace is designed to stabilize and support fractures of the upper arm (humerus).It helps maintain proper bone alignment while allowing controlled shoulder and elbow movement.Ideal for comfortable healing during rehabilitation and recovery.



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

MOLDED TLSO BRACE

Custom-molded TLSO provides firm, precise spinal support for effective alignment and stability.Lightweight, contoured design ensures comfort, control, and confidence during daily movement.



BOSTON BRACE

Boston Brace provides strong thoracic and lumbar support to help control spinal curvature.Low-profile, lightweight design allows effective correction with everyday comfort.



TORTICOLLIS BRACE

Torticollis Brace is designed to support proper neck alignment in patients with torticollis. It helps gently correct head position, reduce muscle tightness, and improve posture over time.



Pre-Fabricated | Spinal

MOLDED TLSO

Molded TLSO is a custom spinal brace designed to support and stabilize the thoracic and lumbar spine. It helps improve posture, control spinal alignment, and manage conditions like scoliosis or fractures.



MOULDED LSO

Molded LSO is a custom lumbar brace designed to support and stabilize the lower back. It helps reduce pain, improve posture, and provide controlled support during daily activities and recovery.



PAVLIK HARNESS

Pavlik Harness is a soft orthotic device used to treat developmental hip dysplasia in infants. It holds the hips in proper alignment while allowing gentle movement for healthy joint development.



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

SOMI BRACE

SOMI Brace is a cervical orthosis designed to stabilize the neck and upper spine after injury or surgery. It helps maintain proper alignment while allowing controlled movement during recovery.



MOULDED LS BRACE

Moulded LS Brace is a custom lumbar-sacral orthosis designed to support and stabilize the lower back.
It helps reduce pain, improve posture, and provide controlled support during daily activities and recovery.



TAYLOR BRACE

Taylor Brace is a thoraco-lumbar spinal orthosis designed to support the mid and lower back. It helps improve posture, limit excessive spinal movement, and reduce pain during recovery.



Paediatrics



Cervical Orthosis

Code: P01 | **Size:** Universal



Arm Sling

Code: P01 | **Size:** CH, PD



Cervical Collar

Code: P03 | **Size:** CH, PD



Shoulder Immobiliser

Code: P04 | **Size:** CH, PD



Taylor Brace

Code: P05 | **Size:** CH, PD



Wrist & Forearm Brace

Code: P06 | **Size:** Universal

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Paediatrics



Clavicle Brace

Code: P07 | **Size:** CH, PD



Knee Immobiliser

Code: P08 | **Size:** CH, PD



Knee Wrap

Code: P09 | **Size:** Universal



Ankle Wrap

Code: P10 | **Size:** Universal



Skin Traction Set

Code: P11 | **Size:** Universal

ROW MATERIALS

Draping Materials

CO-PP SHEET



A strong, lightweight thermoplastic sheet used for making durable and comfortable orthotic and prosthetic supports.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

HDPE SHEET



A tough, lightweight plastic sheet used in prosthetics and orthotics for making strong, durable components.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

ORTHO FLEX SHEET



A flexible thermoplastic sheet used to create comfortable, lightweight orthotic and prosthetic supports.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

ORTHO PRC SHEET



A strong, moldable thermoplastic sheet used for making durable orthotic and prosthetic devices.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

SUPER FLEXIBLE SHEET



A tough, lightweight plastic sheet used in prosthetics and orthotics for making strong, durable components.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

LTTP SHEET



A low-temperature thermoplastic sheet used for quick, easy molding of lightweight orthotic and prosthetic supports.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Pedding Materials

E FOAM SHEET



A soft, lightweight foam sheet used for cushioning, padding, and comfort in orthotic and prosthetic fittings.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

Colour:

REXINE



A durable artificial leather sheet used for covering and improving the look of orthotic and prosthetic products.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

LEATHER



A strong, long-lasting natural material used for straps, supports, and finishing in orthotic and prosthetic products.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

EVA SHEETS



Soft, lightweight foam sheets used for cushioning, shock absorption, and comfort in orthotic and prosthetic devices.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

ANTI SLIP SHEET



A high-grip sheet used to prevent slipping and improve stability in orthotic and prosthetic applications.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

SOLE RAISING SHEET



A durable sheet used to increase shoe sole height for leg length correction and better balance.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

PEDILINE SHEET



A soft cushioning sheet used for foot support, shock absorption, and comfort in orthotic insoles.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

CORK SHEET



A lightweight, shock-absorbing sheet used for foot support and comfortable orthotic insole making.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

MULTI COLOR SHEET



A decorative, durable sheet used to add attractive finishing and styling in orthotic and prosthetic products.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

Consumables Materials

BIFURCATED RIVIT



ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

EYELET



ITEM CODE	SIZE
CECP51	8MM
CECP52	12MM

TINGLE



ITEM CODE	SIZE
CECP54	1/2"

MS RIVIT



ITEM NAME	ITEM CODE	SIZE
MSRIVIT 1/2"	CECP24	3MM
MSRIVIT 1/2"	CECP25	4MM
MSRIVIT 1/2"	CECP26	5MM
MSRIVIT 3/4"	CECP27	3MM
MSRIVIT 3/4"	CECP28	4MM
MSRIVIT 3/4"	CECP29	5MM
MSRIVIT 1"	CECP30	3MM
MSRIVIT 1"	CECP31	4MM
MSRIVIT 1"	CECP32	5MM

COPPER RIVIT



ITEM NAME	ITEM CODE	SIZE
COPPERRIVIT1/2"	CECP42	3MM
COPPERRIVIT1/2"	CECP43	4MM
COPPERRIVIT1/2"	CECP44	5MM
COPPERRIVIT3/4"	CECP45	3MM
COPPERRIVIT3/4"	CECP46	4MM
COPPERRIVIT3/4"	CECP47	5MM
COPPERRIVIT1"	CECP48	3MM
COPPERRIVIT1"	CECP49	4MM
COPPERRIVIT1"	CECP50	5MM

ALUMINIUM RIVIT



ITEM NAME	ITEM CODE	SIZE
ALURIVIT 1/2"	CECP33	3MM
ALURIVIT 1/2"	CECP34	4MM
ALURIVIT 1/2"	CECP35	5MM
ALURIVIT 3/4"	CECP36	3MM
ALURIVIT 3/4"	CECP37	4MM
ALURIVIT 3/4"	CECP38	5MM
ALURIVIT 1"	CECP39	3MM
ALURIVIT 1"	CECP40	4MM
ALURIVIT 1"	CECP41	5MM

ANKLE JOINT SCREW-(METAL)



ITEM CODE	SIZE
CECP60	10MM
CECP61	8MM
CECP62	6MM

ANKLE JOINT SCREW-(PLASTIC)



ITEM CODE	SIZE
CECP63	10MM
CECP64	8MM
CECP65	6MM

CALIPER METAL SCREW



ITEM CODE	SIZE
CECP	Small
CECP	Big

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com


Consumables Materials

STEEL SCREW



ITEM CODE	SIZE
CECP56	1"
CECP57	1.25"
CECP58	2"

METAL BUCKLE



ITEM CODE	SIZE
CECP-07	1"
CECP-08	1.5"
CECP-09	2"

D RING



ITEM CODE	SIZE
CECP-04	25MM
CECP-05	38MM
CECP-06	50MM

PLASTIC BUCKLE WITH METAL D



ITEM CODE	SIZE
CECP-01	25MM
CECP-02	38MM
CECP-03	50MM

NYLON BUCKLE



ITEM CODE	SIZE
CECP-	1"
CECP-	1.5"
CECP-	2"

POP BANDAGES



ITEM NAME	ITEM CODE	SIZE
POPBANDG.4"	CERM01	10 CM
POPBANDG.6"	CERM02	15 CM

PENCIL BLUE



ITEM CODE	SIZE
CECP59	Standard

TEFLON SHEET



ITEM CODE	SIZE
CECP59	Standard

CALIPER METAL SCREW

Fasting Materials

VELCRO HOOK/LOOP 25MTR ROLL



ITEM CODE	CEVH-01	CEVH-02	CEVH-03
SIZES	25MM	38MM	50MM

Colour: Black | Red | Blue | Skin | White

MULTI COLOR SHEET



ITEM CODE	CEVH-07	CEVH-07	CEVH-08
SIZES	25MM	38MM	50MM

NIWAR /KG



ITEM CODE	CEVH-10	CEVH-11	CEVH-12
SIZES	25MM	38MM	50MM

VELCRO STRAP 1"



ITEM CODE	CEVS-01	CEVS-02	CEVS-03	CEVS-04	CEVS-05	CEVS-06
SIZES	4"	5"	6"	7"	8"	9"

VELCRO STRAP 1.5"




ITEM CODE	CEVS-10	CEVS-11	CEVS-12	CEVS-13	CEVS-14	CEVS-15	CEVS-16	CEVS-17	CEVS-17
SIZES	4"	5"	6"	7"	8"	9"	10"	11"	12"

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Lamination Materials

CARBON FIBER

Colour:



A lightweight, strong material used for high-performance prosthetic & orthotic components.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

STOCKINETTE



Soft, breathable stockinette for comfortable skin protection under casts or braces.

ITEM CODE	SIZE
CECP51	8MM
CECP52	12MM

PERLON



Reinforcement fabric for prosthetic lamination.

ITEM CODE	SIZE
CECP54	1/2"

PRINTED LYCRA FABRIC



Soft, stretchable fabric with vibrant prints used for comfortable cosmetic covering and finishing.

ITEM CODE	SIZE
CECP54	1/2"

COPPER RIVIT

ALUMINIUM RIVIT

ACRYLIC LAMINATION RESIN



A strong, fast-setting resin used for durable lamination in prosthetic and orthotic fabrication.

ITEM CODE	SIZE
CECP54	1/2"

ACRYLIC LAMINATION HARDENER



A curing agent used with acrylic resin to ensure strong, fast-setting lamination.

ITEM CODE	SIZE
CECP54	1/2"

HDPE PIPE



A strong, lightweight plastic pipe used for durable support and structural applications in fabrication.

ITEM CODE	SIZE/24"
CERM-07	60MM
CERM-08	75MM
CERM-09	90MM
CERM-10	110MM

Other Materials

RED RUBBER



A flexible, durable rubber material used for cushioning, grip, and protective applications in fabrication.

ITEM CODE	UNIT
CERM56	KGS

COD RUBBER



A durable rubber material used for cushioning, shock absorption, and flexible support in prosthetic and orthotic applications.

ITEM CODE	UNIT
CERM55	Roll

CUSHION RUBBER



A soft rubber material used for padding, shock absorption, and added comfort in orthotic and prosthetic fittings.

ITEM CODE	UNIT
CERM54	Roll

WOODEN GUTKA FOR JAIPUR FOOT



A wooden shaping block used during Jaipur foot fabrication for proper alignment and finishing.

ITEM CODE	UNIT
CERM58	Many

B.K MANDRILL



A shaping tool used for forming and finishing sockets and components during prosthetic fabrication.

ITEM CODE	UNIT
CERM55	Roll

PU BUFFING WHEEL



A polishing wheel used to smooth and finish prosthetic and orthotic components for a clean surface.

ITEM CODE	UNIT
CERM54	Roll

SILICONE SPRAY



A lubricant and surface conditioner used to reduce friction and improve finishing on prosthetic and orthotic components.

ITEM CODE	SIZE
CECP54	1/2"

POP POWDER



Plaster of Paris powder used for casting, molding, and impression making in prosthetic and orthotic fabrication.

ITEM CODE	SIZE
CECP54	1/2"

PRODUCT



A strong, lightweight plastic pipe used for durable support and structural applications in fabrication.

ITEM CODE	SIZE
CECP54	1/2"

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Lamination Materials

SANITIZER



An antiseptic solution used to kill germs and maintain hand hygiene.

ITEM CODE	SIZE
CECP54	1/2"

STOCKINETTE



Soft, breathable stockinette for comfortable skin protection under casts or braces.

ITEM CODE	SIZE
CECP54	1/2"

CLING FILM ROLL



Transparent wrap for covering and protection.

ITEM CODE	SIZE
CECP54	1/2"

PRINTED LYCRA FABRIC

Soft, stretchable fabric with vibrant prints used for comfortable cosmetic covering and finishing.

ITEM CODE	SIZE
CECP54	1/2"

COPPER RIVIT

PVA BAG



A water-soluble bag used for clean, residue-free lamination in prosthetic and orthotic fabrication.

ITEM CODE	SIZE
CECP54	1/2"

ACRYLIC LAMINATION RESIN

A strong, fast-setting resin used for durable lamination in prosthetic and orthotic fabrication.

ITEM CODE	SIZE
CECP54	1/2"

ACRYLIC LAMINATION HARDENER

A curing agent used with acrylic resin to ensure strong, fast-setting lamination.

ITEM CODE	SIZE
CECP54	1/2"

HDPE PIPE

A strong, lightweight plastic pipe used for durable support and structural applications in fabrication.

ITEM CODE	SIZE/24"
CERM-07	60MM
CERM-08	75MM
CERM-09	90MM
CERM-10	110MM

TOOLS & MACHINARY

SURFORM BLADE

Engineered for shaping wood, plastic, soft metals, and even drywall, the surform file offers aggressive material removal with controlled precision. The durable steel blade ensures long-lasting performance, while the ergonomic handle provides a firm, comfortable grip. Ideal for carpenters, sculptors, and DIY enthusiasts who demand reliability.



Surform Blade with Frame
Flat



ITEM CODE	SIZE
00000	Standard

Surform Blade with Frame
Half Round



ITEM CODE	SIZE
00000	Standard

Surform Blade with Frame
Round



ITEM CODE	SIZE
00000	Standard

Surform Blade
Flat



ITEM CODE	SIZE
00000	Standard

Surform Blade
Half Round



ITEM CODE	SIZE
00000	Standard

Surform Blade
Round



ITEM CODE	SIZE
00000	Standard

Tools

P&O Special Tools

MULTI DIRECTION VICE



A heavy-duty adjustable vice that allows multi-angle positioning for firm and precise holding during fabrication and alignment work.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

JOINT BENDER



A precision tool used to bend and align metal joints smoothly for accurate prosthetic and orthotic fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

DRAW KNIFE



A two-hand woodworking tool used for shaving, shaping, and smoothing wood during prosthetic and orthotic fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

DRAPE FRAME



A sturdy frame used to hold and stretch material during draping and lamination in prosthetic and orthotic fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

WOODEN VERNIER CALIPER



A measuring tool used to accurately check socket and component dimensions during prosthetic and orthotic fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

MULTI DIRECTION VICE



An adjustable vice that holds components securely and allows positioning at multiple angles for accurate fabrication work.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

P&O Special Tools

Tools

SCRAPER TOOL



A hand tool used to remove excess material and smooth surfaces during prosthetic and orthotic fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

BENDING FORK SIZE (4X6)



A tool used to bend and shape metal parts accurately during prosthetic and orthotic fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

DEBURRING TOOL



A tool used to remove sharp edges and burrs from cut metal or plastic parts for a smooth finish.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

BOWL



A lightweight mixing bowl used for preparing resin, plaster, or other materials in prosthetic and orthotic work.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

SPATULA CURVED



A curved tool used for smooth mixing, spreading, and applying plaster or resin during fabrication.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

SPATULA STRAIGHT



A straight tool used for mixing and evenly spreading plaster, resin, or adhesives in fabrication work.

ITEM CODE	SIZE	MATERIAL
CEB-01	Small	Small

Tools

General Tools

A K ROD



An alignment rod used to set and check the proper position of above-knee prosthetic components during fitting.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

DILL BIT



A cutting tool used to drill precise holes in metal, plastic, or wood during fabrication and fitting work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

WIRE BRUSH



A cleaning tool used to remove rust, dirt, and rough deposits from metal surfaces during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

ZIGSAW BLADE



A cutting blade used in a jigsaw machine for smooth and accurate cutting of wood, plastic, or metal sheets.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SERRATED KNIFE



A saw-tooth blade knife used for smooth cutting of foam, rubber, and soft materials during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SECISSOR



A cutting tool used to trim fabric, sheets, and soft materials neatly during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

TURN BUCKLE



A metal tensioning device used to tighten and adjust cables, straps, or wire assemblies securely.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SPRING CALLIPER 8"



A measuring tool used to check and transfer internal or external dimensions accurately during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

3 LEG ANVIL



A stable metal anvil used for hammering, shaping, and bending parts during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

SOLUTION CONTAINER



A storage container used to safely hold and dispense liquids or chemical solutions during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

DRILL MACHINE VICE



A strong clamp used to hold materials firmly in place for safe and accurate drilling.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

CHOP SAW WHEEL CUTTING



A heavy-duty abrasive wheel used for fast and clean cutting of metal rods, pipes, and sections.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

GARDEN PRUNING SHEARS



A sharp cutting tool used for trimming branches, straps, or soft materials quickly and cleanly.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SERRATED KNIFE



A hand tool used to grip, bend, twist, and cut wires or small components during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

LEATHER PUNCH



A hand tool used to create clean, precise holes in leather straps and sheet materials.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

TURN BUCKLE



A basic hand tool used for striking, shaping, and fitting components during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SPRING CALLIPER 8"



A hand tool used to tighten or loosen screws during assembly and maintenance work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

3 LEG ANVIL



A portable storage case used to organize, carry, and protect essential tools for repair and fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

Tools

General Tools

POWER TOOL



An electric or battery-operated tool used to cut, drill, grind, or shape materials quickly and efficiently.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

HOT AIR GUN



A heating tool used to soften and shape thermoplastic sheets during orthotic and prosthetic fabrication.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

HAND DRILL MACHINE



A portable power tool used for drilling accurate holes in metal, plastic, or wood during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

HAND GRINDER



A power tool used for cutting, grinding, and polishing metal or plastic surfaces quickly and efficiently.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

JIGSAW



A power cutting tool used for precise curved and straight cuts in wood, plastic, and metal sheets.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SOUND LEVEL METER



A handheld device used to measure and monitor noise levels accurately in different environments.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

WIRE WHISK



A hand tool used for mixing and blending liquids, resins, or plaster smoothly during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

DENTAL LOUPES WITH LED HEADLIGHT KIT



A magnifying loupe set with bright LED light for clear, detailed visibility during precision clinical and fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

PLUMB BOB



Precision plumb bob designed for accurate vertical alignment in construction, surveying, and layout work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

General Tools

Tools

Heat Proof Gloves



Heat-resistant gloves designed to protect hands from high temperatures while ensuring comfort and grip.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

Ansell ActivArmr gloves



Ansell ActivArmr gloves provide reliable heat protection with superior grip and comfort for demanding industrial tasks.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

Eye Protector



Eye Protector provides clear vision and reliable safety against dust, debris, and impact in work environments.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

GARDEN PRUNING SHEARS



ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SERRATED KNIFE



Flexible measuring tape for accurate body, fabric, and surface measurements.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

LEATHER PUNCH

A hand tool used to create clean, precise holes in leather straps and sheet materials.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

TURN BUCKLE

A basic hand tool used for striking, shaping, and fitting components during fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

SPRING CALLIPER 8"

A hand tool used to tighten or loosen screws during assembly and maintenance work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

3 LEG ANVIL

A portable storage case used to organize, carry, and protect essential tools for repair and fabrication work.

ITEM CODE	SIZE
CECP21	1/2"
CECP22	3/4"

Machinaries



EXAMINATION COUCH

Frame : CRCA Rectangular Tubes, CRCA Sheet cabinets 100 mm thick reversible foam mattress, Four cabinets with lock, Drawer with lock, Sliding stepping Stool, Writing Pad, Pre treated and Epoxy Powder Coated

Sizes: 1830 mm L X 575 mm W X 850 mm H

EXAMINATION TABLE

Frame : Stainless Steel work with Fixed Mattress.

Top : Stainless Steel,

Sizes: 75" L X 27" W X 34" H





PARALLEL BAR

(WITH OR WITHOUT WOODEN PLATFOAM)

- Parallel bars with adjustable wooden girders.
- The device is collapsible to create space.
- Maximum length 4 meter & other size on request.

Sizes: 3500 mm length

Material: Stainless Steel

BK CASTING CHAIR

With foot platform, step and lateral armrest either to left or to right seat and backrest covered with syntetic material steel frame and plastic coated foot platform.

Foot Platform: 460 mm
Total Height: 1250 mm
Total Width: 870 mm
Width Without Step: 600 mm
Total Depth: 1000 mm



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Machinaries



PLASTER ROOM SHELVING UNIT

basic steel rack, easy installation with connectors. 4 bearers with diagonal tie bars. 1 base level. 1 cover level. 3 levels with steel shelving. 2 levels with grates.

Sizes: H x W x D: 2171 x 1055 x 500 mm.
Shelf Depth: 500 mm

PLASTER STORAGE MACHINE WITH VIBRATOR UNIT

Mobile Silo for Plaster with Cover Plate and Worm Wheel Easy Feeding the Plaster amounts. It is having Castor wheels for moving the equipment. It is made of sheet metal with stable construction of square steel tubing. It is equipped with plug and hinged cover for plaster. Plaster discharge on front. It can be opened in all positions. Removable grid is having opener for begs of plaster. Storage Capacity is 100 kg plaster of paris powder. If is having a vibration unit for better distribution.





CASTING TROLLEY

Mobile steel cabinet with 2 drawers, 2 swing doors and 1 adjustable built-in shelf, push handle 4 guide rollers Ø 125 mm, 4 rubber wall bumpers and seamless table top with 3-sided gallery

MODULAR CASTING APPARATUS

- Space requirement 600x850mm
- It is allows positioning of patient as required for full body casting, cervical casting is also possible in combination with the modular tracking unit.
- Foot Plate may be tilted adjustable padded knee cushions and adjustable hand grips.

Weight: 30 to 35 kg



Machinaries



AIR COMPRESSION MACHINE

- Automatic switch Compressor 4 CFM
- 1 HP Motor
- Heavy duty made in steel body
- Single Phase
- V Belt Pulley
- Push Button & Starter

WORK BENCH

- Four Drawer System (or as per requirement)
- Peg Board with tong holder
- 0 mm wooden top
- Connection for centralize air system (as per requirement)

Size WxDxH: 1500x850x800mm





PLASTER WORK TABLE

- One side two galvanized depositing grates.
- Right side one galvanized depositing grates.

Size LxWxH: 60”x30”x33”

Material: Stainless Steel

HOT AIR OVEN (ORTHOTICS OVEN)

- Double walled constructioninside chamber made in stainless steel and outside made of mild steel -painted with stove enamel. controlled by a digital indicator cum controller.
- Supplied with reinforced steel tray.
- Temperature range is upto 250˚C Power input 4.0kw with 220-230 volts A.C 50 hz.

Inside Chamber Size (WxHxD) : 45”x 6”x28”



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Machinaries

HOT AIR OVEN (PROSTHETICS OVEN)



- Double walled construction inside chamber made in stainless steel and outside made of mild steel - painted with stove enamel.
- Controlled by a digital indicator cum controller.

Inside Chamber Size WxHxD: 24"x 20"x 30" supplied with reinforced steel tray.
Temperature Range: Upto 250˚C
Power input: 4.0kw with 220-230 volts A.C 50 hz

PROSTHETIC & ORTHOTIC OVEN (COMBINED)

- A double door Circulation oven for the heating of various materials.
- Due to the PID control System it is also possible to use the oven for drying plaster models and for the sintering technique.
- Easy to control with the PID Control system.



Power Requirement : 220-230 volts AC 50Hz single phase.
Outside Dimension WxDxH: 1234x765x1022mm
Inside Dimension WxDxH: 1000x500x800mm
Weight: 110 kg approx

HOT AIR OVEN(COMBINED P&O)



- The spare double walled, inside chamber made of stainless steel and outside made of mild steel painted with powder coating. The temperature is controlled by digital indicator cum controller. Heating is uniform all around through high speed circulating fans.
- Supplied with trays and inside stand for drape frames
- Toughened glass window on both the doors and also provided a silicon gas cuts on both the doors.
- A digital timer with an alarm system is provided.

Temperature Range: Up to 300 degree c
Power Supply: 220230 Volts A.C. 50Hz, Single Phase.
Dimension WxDxH: 38" x 24" x 30"

Machinaries

INFRARED OVEN STAINLESS STEEL



- Infrared oven for heating of plastic sheet for Prosthetics & Orthotics aids.
- It is having removable metal plate & Replaceable teflon sheet. it is useable for deep drawing technique.
- Microprocessor controlled temperature settings with digital display.
- The upper frame of the trolley is made of stainless steel and features four cross beams, which can be installed variably to allow the attachment Of deep-drawing frames.
- Large three-pane window, 970 x 100 mm. Interior light 2 x 25 Watt.
- Should include all accessories.
- Power cord attachment for three phase electric supply must be provided.

Interior Dimensions WxDxH: 1,200 x 1,100 x 500mm
Infrared plates: 625L9 W 4 x 1,120 top; 4 x 1,120 bottom.
Temperature Range: ˚C up to 250
Power Requirements: V/Hz/kW 3 x 400 PE /50-60 / 9

INFRARED OVEN

- Utilised for heating of large-size plastic sheets.
- Microprocessor controlled temperature settings with digital display.
- The upper frame of the trolley is made of stainless steel and features four cross beams, which can be installed variably to allow the attachment Of deep-drawing frames.
- Large three-pane window, 970 x 100 mm.
- Interior light 2 x 25 Watt.
- Should include all accessories. Standing support should be provided.
- Power cord attachment for three phase electric supply must be provided



Temperature Range: ˚C up to 250
Interior Dimensions WxDxH: 1,300 x 1,000 x 580mm
Exterior Dimensions WxDxH: 1,600 x 1,110 x 1,300mm
Infrared Plates: 625L9 W 4 x 1,120 top; 4 x 1,120 bottom.
Power Requirements: V/Hz/kW 3 x 400 PE /50-60 / 9

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Machinaries

SOCKET ROUTER (TABLE TALK MODEL)



- 3 HP Motor (or change on request).
- Electrical Connection only in Connection with control unit with one 5/8" threaded bold.
- Single Speed

SOCKET ROUTER (REGULAR MODEL)

- 3 HP Motor (or change on request)
- Electrical Connection only in Connection with control unit with one 5/8" threaded bold.
- Speed 0-2800 rpm with AC drive system
- Break Mechanisms/ without Break Mechanisms (As per requirement)
- Stand made in MSS



SOCKET ROUTER



- Specifications Speed of router motor infinitely variable, incl. motor brake For connection to a central dust suction unit with a minimum air flow of 20 m/s andan low pressure of 710 Pa Suction connection as per the machine requirement Router motor on a robust steel stand.
- Electronic Features Protective circuit according to German VDE Standard with low voltage release Emergency floor push stop On/Off router motor switch Main safety switch Appropriate cord length with safety plug.
- Basic Equipment Adjustable suction nozzle Shaft housing, long Spanner as per the machine requirements Threaded stud for router tools.
- Technical Data Space requirement (WXD) should not be more than 900 x 1500 mm Work height should not be less than 1000 mm Motor speed infinitely variable: 0-2900 RPM or more Sound level should be less than 70 db Router shaft length should be equal or more than 430 mm Tapered spindle Router motor: 230 V / 50 Hz / minimum1KW

Machinaries

SANDING DRUM (THREAD 5/8")



Small



Medium



Large

RASP HEAD (THREAD 5/8")



Small



Medium



Large

DUST COLLECTOR SYSTEM



- 1 Hp Motor
- 3 Phase / single phase
- 100mm interface device for vacuum cleaner

Volume Flow: 1500m 3/H
Wind Speed: 20-25m/Sec
Dust Collector: 040cm

WALL FRAME

- The product are using in Prosthetics & Orthotics workshop for plaster alignment
- Made of M.S. material



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Machinaries

CAST TAPER MANDRIL



- The product are using in Prosthetics & Orthotics workshop for plaster alignment.
- Cast support taper for plaster banch.

CAST TAPER HOLDER

- Use for hold the cast holder
- Made of Stainless Steel



VACCUM PRESS



- Heavy Duty, Low Maintenance
- Fast & Easy Handling
- Opening & closing of working frame is most suitable with first time ever hydraulic frame
- Larger size, Suitable for making two insole or foot orthosis at the same time
- Easy to change latex bag

VACUUM MACHINE

- Double Stage
- Displacement 250 ltrs/min
- Vacuum 1x10'mbar
- 220-230v, 50 Hz with vacuum gauge, air filler with 3 meter flexible hose.

Pump RMP: 1440

Power Supply: 1 Hp, Single phase



Machinaries

WATER BATH FOR LOW TEMPERATURE THERMOPLASTIC SHEET



- Made of stainless steel both internally & externally.
- Digitel Indicatior cum Controller.
- Heating elements are so placed that the heating is uniform, Removable perforated tray with SS handles.

Temperature Range: Upto 80 degree c
Power Input: 230V, Single Phase.
Weight: 15kg
Inside Chember: 18"x24"

GRINDER MACHINE WITH POLISHER

- One Side Grinding wheel and other side polisher
- Single phase 1 hp motor
- Heavy duty made in steel
- 1440 to 2800 RPM
- Sound level dB/A : 65-100



VACCUM PRESS



- Heavy duty made in steel body.
- Upper Roller bearing with vertical and tilting adjustment for sander belt alignment.

Belt Dimension: 79"x4" (Length x Wirth)
Power Supply: 220-230V, 1HP, Single Phase, 50Hz

BELT SENDER MACHINE

- Belt sender 72"x6"
- Motor 1hp, 3ph
- Starter
- V.Belt & Fitting
- Belt with Pedestal
- Heavy duty made in steel body



To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Machinaries



COLUMN DRILL MACHINE

- Motor Capacity ½ hp (as per requirement)
- 5/8 Co.R Complete
- Heavy duty made in steel body
- Single Phase 1440 RPM
- Drill Bit chuck with key
- Drill Machine with pedestal

LEATHER SEWING MACHINE

- Drive system : Manual-Foot treadle on stand/table & Motorised.
- Stitch length 6.5 mm & Capable of a speed of 1000 stitches per minute.
- Leather Stitch master with foot rest.
- Heavy duty industrial sewing machine.
- Tempered critical parts i.e feed dog holder, feed fork etc.





LAMINATION MACHINE (OIL FREE)

- Motor: 1/2 HP
- Oil sealed Rotary High Vacuum pump with -710 +-10mm hg
- Auto Cleavable collection Jar with overflow safety
- Noise level from 04 feel is 50db=+04db (noiseless)

LAMINATION MACHINE (OIL PUMP)



DRAPE DISK WITH DRAPE TABLE WITH SUCTION UNIT



MOBILITY AIDS

Mobility Aids

CRUTCHES ALU ROUND ECO



Lightweight aluminum crutches designed for stable support and comfortable walking assistance during recovery.

PRODUCT CODE	SIZE
CEMA-01	Small
CEMA-02	Medium
CEMA-03	Large

CRUTCHES ALU ROUND PRO



Premium aluminum crutches with strong build and enhanced comfort, providing reliable support for daily mobility.

PRODUCT CODE	SIZE
CEMA-08	Small
CEMA-09	Medium
CEMA-10	Large

CRUTCHES ALU SQUARE PREMIUM



Heavy-duty square aluminum crutches offering extra strength, stability, and comfortable support for daily mobility.

PRODUCT CODE	SIZE
CEMA-04	Small
CEMA-05	Medium
CEMA-06	Large
CEMA-07	Extra Large

ELBOW CRUTCH



A lightweight forearm-supported crutch designed to provide stable, comfortable walking support and better balance.

PRODUCT CODE	SIZE
CEMA-11	Uni

WALKING STICKS



A quad-base walking stick designed to provide extra stability, balance, and safe support while walking.

PRODUCT CODE	SIZE
CEMA-16	Uni

WALKING STICK



Support sticks designed to improve balance and provide extra stability while walking.

PRODUCT CODE	SIZE
CEMA-16	Uni

Mobility Aids

WALKER FIX



A strong, non-foldable walker designed to provide maximum stability and support for safe walking assistance.

PRODUCT CODE	SIZE
CEMA-12	Fixed A
CEMA-13	Folding A
CEMA-14	Fixed C

WALKER FOLDING



A lightweight foldable walker that offers stable walking support and easy storage or portability.

PRODUCT CODE	SIZE
CEMA-15	Folding C

FOLDING COMMODE CHAIR



A portable foldable toilet chair designed for safe, comfortable use and easy storage.

PRODUCT CODE	SIZE
CEMA-16	Small
CEMA-17	Medium
CEMA-18	Large
CEMA-19	Extra Large

COMMODE STOOL



A compact toileting support stool designed to provide comfort, stability, and easy use for patients.

PRODUCT CODE	SIZE
CEMA-20	Small
CEMA-21	Medium
CEMA-22	Large
CEMA-23	Extra Large

BARIATRIC WHEELCHAIR



A heavy-duty wheelchair designed to provide safe, comfortable mobility support for high-weight users.

PRODUCT CODE	SIZE
CEMA-16	Small
CEMA-17	Medium
CEMA-18	Large
CEMA-19	Extra Large

TRANSPORT WHEELCHAIR



A lightweight wheelchair designed for easy pushing by an attendant, ideal for short-distance mobility and travel.

PRODUCT CODE	SIZE
CEMA-16	Small
CEMA-17	Medium
CEMA-18	Large
CEMA-19	Extra Large

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Mobility Aids

MANUAL WHEELCHAIR.



A user- or attendant-driven wheelchair designed for reliable mobility and everyday comfort.

PRODUCT CODE	SIZE
CEMA-01	Small
CEMA-02	Medium
CEMA-03	Large

COMMODE WHEELCHAIR



A wheelchair with an integrated commode seat, designed for convenient mobility and safe toileting support for patients.

PRODUCT CODE	SIZE
CEMA-08	Small
CEMA-09	Medium
CEMA-10	Large

RELAXATION CP CHAIR FOR CHILD



A supportive seating chair designed for children with cerebral palsy to maintain proper posture and comfort.It helps improve stability, reduce strain, and support daily sitting activities for longer durations.

PRODUCT CODE	SIZE
CEMA-04	Small
CEMA-05	Medium
CEMA-06	Large
CEMA-07	Extra Large

PEDIATRIC THERAPY CHAIR



A specially designed chair that supports proper sitting posture for children during therapy sessions.It improves stability, comfort, and alignment to help in better movement and rehabilitation.

PRODUCT CODE	SIZE
CEMA-11	Uni

CP CHAIR WITH TABLE



A supportive chair with an attached table designed for children with cerebral palsy for better posture and stability.It helps in feeding, learning, and therapy activities with improved comfort and control.

PRODUCT CODE	SIZE
CEMA-16	Uni

STANDING FRAME



A supportive device that helps children or patients stand safely in an upright position.It improves posture, strengthens muscles, and supports better weight-bearing and balance.

PRODUCT CODE	SIZE
CEMA-16	Uni

GEL PRODUCTS

SHRI SANJEEVANI BIOMED SOLUTIONS PRIVATE LIMITED
EQUIPPING CARE, ENSURING LIFE.

Foot Care



A001
Insole with High Arch & Heel Cup
Size: S / M / L / XL



A002
Insole with Arch & Metatarsal Pad
Size: S / M / L / XL



A003
Plain Insole
Size: S / M / L / XL / XXL



A004
Universal Plain Insole
Size: U



A005
2/3rd Insole with High Arch
Size: S / M / L



A006
Heel Cup
Size: S / M / L



A007
Heel Cup with Strip
Size: S / M / L / XL



A008
Heel Pad Dotted
Size: U



A009
Heel Pad Plain
Size: U



A010
Heel Pad Donut
Size: U



A011
Heel Pad Pando
Size: U



A012
Heel Pad Female
Size: U



A013
Arch Support (Narrow Width)
Size: S / M / L / XL



A014
Arch Support (Wide Width)
Size: S / M / L



A015
High Arch with Heel Pad
Size: S / M / L / XL



A016
Metatarsal Pad Male
Size: U



A017
Metatarsal Pad Female
Size: U



A018
Toe Spreader for 5 Foot Fingers
Size: U



A019
Toe Separator
Size: U



A020
Toe Spreader
Size: S / M / L



A021
Toe Spreader with 1 Loop
Size: U



A022
Toe Spreader with 2 Loop
Size: U



A023
Toe Spreader with Bunion Shield
Size: U



A024
Toe Spreader with 1 Loop and Metatarsal Pad
Size: U



A025
Toe Spreader Metatarsal Pad
Size: U



A026
Toe Crest
Size: S / M / L



A027
Lateral Wedge Heel Pad
Size: S / M / L



A028
Wedge Strips
Size: S / M / L



A029
3/4 Insole with Arch
Size: U

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Hand Care



B001
Round Gel Ball Soft (Yellow)
Size: S / M / L



B002
Round Gel Ball Medium (Red)
Size: S / M / L



B003
Round Gel Ball Hard (Blue)
Size: S / M / L



B004
Oval Gel Ball Soft (Yellow)
Size: U



B005
Oval Gel Ball Medium (Red)
Size: U



B006
Oval Gel Ball Hard (Blue)
Size: U



B007
Round Gel For Finger Soft (Yellow)
Size: U



B008
Round Gel For Finger Medium (Red)
Size: U



B009
Round Gel For Finger Hard (Blue)
Size: U



B010
Gel Stress Busters (Heart) (Yellow, Red & Blue)
Size: U

OEM SUPPLIES



F001
Tennis Elbow Pad (Square)
Size: U



F002
Tennis Elbow Pad (Round)
Size: U



F003
Pressure Pads for Tubular Supports
Size: U



F004
Patella Pad (C-Type)
Size: U



F005 Type-1
Knee Support Ring (Circular-Flat Top)
Size: S / M / L



F005 Type-2
Knee Support Ring (Circular-Round Top)
Size: U



F006
Knee Support Ring (Circular-Wide)
Size: U



F007 Type-1
Knee Support Ring (Oval)
Size: U



F007 Type-2
Knee Support Ring (Oval)
Size: M / L



F008
Ankle Pad
Size: M / L



F009
Gel Heel Grip Liner
Size: U



F010
Ankle Brace
(1 no. consist of 3 pcs)
Size: U



F011
Gel Cone Medium (Red)
Spacer for Vaginal Atresia
Size: S / M / L



F012
Gel Cone Hard (Blue)
Spacer for Vaginal Atresia
Size: S / M / L



G001
Artificial Breast (Tear Drop)
Size: S / M / L / XL

Gel Breast Size	Small	Medium	Large	X Large
Human Cup Size	32-34	36-38	40-42	44-46

SHRI SANJEEVANI BIOMED SOLUTIONS PRIVATE LIMITED
EQUIPPING CARE, ENSURING LIFE.

BSPO



C001
Heel Cup with Velcro
Size: U



C002
Bed Sore Prevention Sheet (Plain / Corrugated)
Size: U



C003*
Bed Sore Prevention Pad (Corrugated)
Size: U



C004*
Bed Sore Prevention Pad (Round Ball)
Size: U



C005*
Bed Sore Prevention Pad (Small Square Tile)
Size: U




C006*
Bed Sore Prevention Pad (Big Square Tile)
Size: U

Gel Seat Cushion



E001*
Cervical Support (1 side Contour)
Size: U




E002*
Cervical Support (2 side Contour) with memory foam
Size: U



E003*
Back Support
Size: U




E004* Type-1
Coccyx Gel Support (Square Type)
Size: U



E005* Type-1
Coccyx Gel Support (Corrugated Type)
Size: U



E005* Type-2
Coccyx Gel Support (Corrugated Type)
Size: U



E006*
Multi Purpose Gel Seat Support
Size: U



E007**
Piles Gel Seat Support
Size: U




E008
Commod Seat Pad
Size: U



E009*
Wheel Chair Support (Corrugated)
Size: U



E010*
Wheel Chair Support (Round Ball)
Size: U



E011*
Wheel Chair Support (Small Square Tile)
Size: U



E012*
Wheel Chair Support (Big Square Tile)
Size: U



E013*
Wheel Chair Support (Economy)
Size: U



E014*
Wheel Chair Support (1 size fits all)
Size: U



Natural Skin Touch

To order: +91 8341293305 / 9700007557 | Enquiry@shrisanjeevani.com

Gel Tubes



H001
Amputated Leg Liner



H002
Gel Distal End Pad
Size: M / L



H003
Gel Arthritic/Diabetic Sock (Cotton)
Size: S / M / L /XL / XXL / XXXL




H004
Gel Finger Tube (1 Side close)
Size: S / M / L



H005
Gel Open End Tube (8"Length)
Size: S / M / L



H006
Gel Finger Cap
Size: XS / S / M / L



H007
Gel Finger Pad
Size: S / M / L




H008
Gel Sleeve for Hand & Leg
Size: S / M / L / XL



H009
Nose Gel Pad for Face Mask
Size: U



H010
Gel Phantom Part Task Trainer (without Target) Size: U



H011
Gel Phantom Part Task Trainer (with Target) Size: U

OT Patient Positioning



OT001
Round Head Support (Round Top) Close bottom
Size: M / L / XL



OT002
Round Head Support (Round Top) Open bottom
Size: M / L / XL



OT003
Round Head Support (TapperTop) Open bottom
Size: M / L



OT003
Round Head Support (Flat Top) Close bottom
Size: S / M / L / XL



OT004
Round Head Support (Flat Top) Open bottom
Size: S / M / L / XL



OT005
Head Support Supine / Countoured
Size: U



OT006
Head Support Supine / Profile
Size: U



OT007
Head Support Opthalmic Cradle
Size: U



OT008
Head Support for Eye Surgery (with easy flow of water at bottom)
Size: M / L



OT009
Head Support (Horse Shoe) Close Bottom
Size: S / M / L / XL



OT010
Head Support (Horse Shoe) Open Bottom
Size: S / M / L / XL



OT011
Head Support (Horse Shoe) with Eye Pressure Relief
Size: U


OT Patient Positioning



OT012
Prone Head Support (Type-1)
Size: M / L




OT013
Prone Head Support with Open Center
Size: U



OT014
Foam Prone Head Support with Gel
Size: M / L



OT015
Foam Prone Head Support without Gel
Size: M / L




OT016
Mirror for Foam Prone Head Support
Size: M / L



Code: OT017
Gel Base for Metallic Neuro Head Frame
Size: M / L



OT018
Face / Forehead Protector Pad
Size: U



OT019
Hand Rest (Contoured)
Size: U



OT020
Flat Arm Board Pad
Size: U



OT021A
Sacral Support (Type-1)
Size: U




OT022
Universal Positioner
Size: U



OT023
Patient Positioner
Size: U



OT024
Multi Utility Bolster (Flat Top)
Size: 1 to 8



OT025
Multi Utility Bolster (Round Top)
Size: 1 to 4



OT026
Wedge Positioner (15°)
Size: U



OT027
Knee Pad (Contoured)
Size: U



OT028
Calf Support
Size: U



OT029
Heel Support (U-type)
Size: U



OT030
Heel Support (Curve)
Size: M / L



OT031
Patient Safety Strap
Size: S / M / L




OT032
Crutch Stirrup Pad
Size: S/ M / L / XL



OT033
Operating Table Pad
Size: S/ M / L



OT034
Perineal Opearating Table Pad with Cutout
Size: U



OT035
Operating Table Pad (3 Pcs Set)
Size: U

OT Patient Positioning



OT012
Prone Head Support (Type-2)
Size: M / L



OT021B
Sacral Support (Type-2)
Size: U



OT027B
Contour Leg Support
Size: U




OT030C
Heel Support (Heart type)
Size: U



OT036
Prone Gel Bed (Upper Body Protector)
Size: U



OT037
Lateral Positioner (Side Positioner)
Size: U



OT038
Elevation Pillow (Upper Body Elevator)
Size: U

Gel Sheet



D001
Self Sticky Sheet
Size: S / M / L



D002
Plain Gel Sheet
Size: 24× 24 inch
Thickness: 3, 6, 9, 12 mm



D003
Pressure Relief Padding
Size: 24× 24 inch
Thickness: 3, 6, 9, 12 mm

SHRI SANJEEVANI
BIOMED SOLUTIONS
PRIVATE LIMITED
EQUIPPING CARE, ENSURING LIFE.

SHRI SANJEEVANI

BIOMED SOLUTIONS PRIVATE LIMITED

Your B2B Partner for Healthcare & Rehabilitation

Product Enquiries & Orders

Email: Enquiry@shrisanjeevani.com

Tel: +91 8341293305 / 9700007557

Product availability, specifications and pricing on request.

Images and technical specifications are supplied for product reference.